

Review article

The role of digital technologies in supporting and improving fishery and aquaculture across the supply chain – Quo Vadis?

Neil J. Rowan ^{a, b, c, *}^a Bioscience Research Institute, Technological University of the Shannon, Midlands Midwest (TUS), Athlone, N37 HD68, Ireland^b Empower Eco™ Innovation Hub, TUS, Athlone, N37 HD68, Ireland^c CURAM Research Centre, NUI, Galway, H91 TK33, Ireland

ARTICLE INFO

Keywords:

Digital transformation
Sustainability
End-to-end monitoring
Food processing
Disruptive innovation

ABSTRACT

Fish constitute important high protein products to meet the demands of an increasing global population. However, the continued depletion of wild fish stocks is leading to increased strain on the aquaculture sector in terms of sustaining the supply of fish and seafood to global markets. Despite the fact that aquaculture is more diversified than other agriculture sectors, there are significant pressures on the industry to continue innovating in order to enable sustainability including increased fish production, improved appropriate selection of species, disease mitigation, reduced wastage, preventing environmental pollution and generating more employment globally. This viewpoint article addresses how digital transformation can help support and meet expansion needs of the fisheries/aquaculture industries that includes exploiting and harnessing ICT, IoT, Cloud-edge computing, AI, machine learning, immersive technologies and blockchain. Digital technologies are bringing significant operational benefits for global food chain, improving efficiencies and productivity, reducing waste, contamination and food fraud. The focus on digital technologies has recently evolved to Industry 5.0 where AI and robotics are coupled with the human mind in order to advance human-centric solutions. This viewpoint describes the role of Quadruple helix Hub (academic-industry-government and society) in delivering a convergent holistic approach to meeting the diversity of fishery industry needs by connecting and placing fisheries centrally in a defined ecosystem of stakeholders. This includes specialist training, testing technologies, providing access to finance and fostering disruption through aquaculture accelerator initiatives such as that provided by Hatch Blue. Connecting digital Innovation Hubs *trans*-regionally, nationally and internationally will also help mitigate against significant risks for the fisheries and aquaculture industry including climate change, global pandemics and conflicts that can jeopardize fish and seafood production and supply chains. There is also a commensurate need to avail of digital technologies in order to increase awareness of key industry issues across the value chain, such as through social marketing. Thus, addressing key challenges by way of the global digital transformation of fishery and aquaculture industry will meet several sustainable development goals of the United Nations catered around the application of disruptive technology.

1. Introduction

There is increasing depletion of wild fish stocks globally, where fish is an important source of high protein products and omega 3 (FAO, 2020). Aquaculture has been one of the fastest growing food sectors in agriculture globally (Tahar, Kennedy, et al., 2018; 2018b; FAO, 2020). Xia et al. (2022) noted that aquaculture has produced more fish for human consumption than wild-caught fish. The sustaining increase in aquaculture has been positively influenced by new technological developments where there is a pressing need to find appropriate solutions

to meet growing world population that will reach approximately 10 billion by 2050 (FAO, 2020). Xia et al. (2022) highlighted potential disruptive solutions in the fishery and aquaculture in number of areas including alternative proteins and oils for fish meal, offshore farming, recirculating aquaculture systems, oral vaccination, genome editing, solar emerging and novel marketing strategies, disease mitigation technologies monitoring tools, artificial intelligence and blockchain for business model development including cybersecurity. Yue and Shen (2022) also reported that aquaculture is more diversified than in other agricultural sector as attested by increased activities underpinning fish

* Bioscience Research Institute, Technological University of the Shannon, Midlands Midwest (TUS), Athlone, N37 HD68, Ireland.

E-mail address: neil.rowan@tus.ie.

<https://doi.org/10.1016/j.aaf.2022.06.003>

Received 19 May 2022; Received in revised form 8 June 2022; Accepted 14 June 2022

2468-550X/© 2022 Shanghai Ocean University. Publishing services by Elsevier B.V. on behalf of KeAi Communications Co. Ltd. This is an open access article under the CC BY-NC-ND license (<http://creativecommons.org/licenses/by-nc-nd/4.0/>).

species, feed, production systems, diseases, products, and new business structures. Sun et al. (2020) noted that it is essential that aquaculture continues to innovate in order to produce more fish products to meet the ever-increasing seafood demands of our growing global population. Sun et al. (2020) remarked that this challenge is particularly daunting given the worsening environmental conditions that reduces our supply of fish meals and oils. O'Neill et al. (2022) reported that extreme weather events can disrupt aquaculture supply chains. For example, these authors reported that extreme climate variance that causes flash flooding can disrupt what is typically an efficient recirculating, integrated, multi-trophic aquaculture system (IMTA/RAS) in the Irish midlands, which can contribute to fish mortalities. These issues present both challenges and opportunities that include developing eco-innovations (Rowan & Pogue, 2021; Galanakis et al., 2021) that can be enabled and accelerated through digital transformation (Mondejar et al., 2021). Thus, the global agri-food sector faces significant challenges that are influenced by societal demands, increasing competitive pressure and adaptation to climate change, changing diets, demographic change, volatile national and global markets, diverging wages and new technologies (Rowan & Casey, 2021). In order to manage these increasingly complex relationships, the sector is more than ever forced to innovate to improve profitability and sustainability (Ab Rahman et al., 2017) that can be enabled through digitalization. The aim of this viewpoint article is to address key developments, trends, challenges and opportunities surrounding digital transformation of fisheries and aquaculture across the supply chain.

2. Digitalization to achieve sustainable development in fisheries and aquaculture

Globally, we are becoming increasingly more dependent on using digital and computer technologies for our everyday activities. Ceipek, Hautz, Petruzzelli, De Massis, and Matzler (2021) noted digitalization is the integration of digital technologies into everyday life where contemporary technologies can transform socio-economic, environmental, sustainability and climate research applications. Mondejar et al. (2021) stated that digitalization is a defined process of converting physically collected information (such as sensors) and knowledge into a computer-based language. This enables development of digital technologies that can be integrated into the Internet of Things (IoT) environment. This IoT framework provides robust network of connected physical objects across the internet through embedded sensors, software and other technologies that supports exchange and the gathering of data (Mondejar et al., 2021; Rowan et al., 2022). These authors also noted that the convergence of simultaneously developed digital technologies for real-time analysis, artificial intelligence and machine learning manages enormous amounts of data, also referred to as big data. The generation of such big data is not fully appreciated, nor exploited; but, it does generate novel opportunities that will accelerate the transition to more efficient and sustainable activities across many sectors including across the supply chain for fishery and aquaculture.

Table 1 provides working definitions of common terms used for digital technologies. An example of the various uses of digital technologies in fisheries and aquaculture is shown in Table 2. The digital technologies described in Table 2 align with emerging innovation reported by Connolly (2018). There is increasing interest in end-to-end monitoring for production and supply chain to improve efficiencies that can be met through cloud-edge computing including use of AI to make faster and better decisions (Evensen, 2020). Yue and Shen (2022) highlighted the potential for digital technologies to inform development and potentially disruption of offshore aquaculture systems, including cage aquaculture, submersible cages, vessel aquaculture and fish predominantly moored in deep water. These authors also articulated applications in recirculating aquaculture systems (RAS) such as tanks, vertical aquaponics, multi-story vertical tanks, and tanks in deserts. Yue and Shen (2022) also envisaged breakthroughs in disruptive technology

Table 1

Digital technologies – definitions and applications in fisheries and aquaculture ecosystems.

DIGITAL TECHNOLOGIES*	
Information and communications technology (ICT)	encompasses the capture, storage, retrieval, processing, display, representation, presentation, organization, management, security, transfer, and interchange of data and information.
Internet of things (IoT)	– network of smart, interconnected devices and services capable of sensing or listening to requests and perform actions using actuators. IoT enables network sensors to remote connect, track and manage products and systems.
Cloud computing	– use of tools and applications (such as data storage, servers, databases, software) based on a network of servers through the internet. It enables user to rent computer resources on demand to store files and applications in a virtualised servers and access all data via the internet.
Artificial Intelligence (AI)	defines machines achieving human-like cognitive functions (ex. learning, reasoning, interacting) that comprises different forms of cognition and meaning understanding (such as speech recognition) and human interaction (signal sensing, smart control, simulators) rooted in algorithms and software.
Machine learning (ML)	– a subset of AI, use and development of computer systems that learn and adapt without following explicit instructions, by using algorithms and statistical models to analyse and draw inferences from patterns in data.
Big data	– continuous increase in data & technologies that needs to be collected, stored, managed and analysed. Complex and multidimensional that impacts processes, technologies. Characterised by Volume (amount of data sets), Velocity (speed of data processing), Variety (types/sources of data), Veracity (quality of data analysed).
Blockchain	is a shared digital, immutable ledger that facilitates the process of recording transactions and tracking assets in a business network using cryptographic algorithms). Blockchain protocols aggregate, validate, and relay transactions within the blockchain network. The blockchain system records the transactions in sequence. A transaction may contain a value transfer or a smart contract invocation.
Augmented reality	– a technology that superimposes a computer-generated image on a user's view of the real world; thus, provide a composite view.
Virtual Reality	– the computer-generated simulation of a 3D image or environment that can be interacted with in a seemingly real or physical way by a person using special electronic equipment, such as helmet with screen inside or gloves fitted with sensors.
Quality of Experience (QoE)	– is the degree of delight or annoyance registered by the use of an application or service.
Logistics	– the detailed organization and implementation of a complex operation.
Robotics	– a branch of technology that deals with the design, construction, operation and application of robots. In multi-robot or swarm robot systems, the robot collaborate to complete predefined tasks.
Cobot, or collaborative robot,	is a robot intended for direct human robot interaction with a shared space, or where humans and robots are in proximity.
Digital twin	– a digital win is a virtual model designed to accurately reflect a physical object.
Edge Cloud	– Edge computing is developed as complement to cloud computing, encompassing storage and compute assets located at the edge and interconnected by a scalable, application-aware network that can sense and adapt to changing needs, securely & in real time
Cybersecurity or information technology (IT) security	– is the practice of protecting critical systems and sensitive information from digital attack. It is how individuals and organisations reduce the risk of a cyber attack where cyber security code function protects the devices (smartphones, laptops, tables).
Cyber-physical systems	refer to systems where software and hardware components are seamlessly integrated towards performing well-defined tasks.

*Adopted from Rowan et al. (2022)

breakthroughs in the areas of genome editing, AI, offshore fish production, RAS, alternative proteins and oils to replace fish oils, and oral vaccines. Hrustek (2020) also reported that digital transformation can influence stability for the stable development of the global economy. Schuelke-Leech (2021) reported that the European Green Deal initiative offers opportunities for technology disruption. The reader is directed to the writings of Schuelke-Leech (2018) and Rowan (2019) for a more comprehensive description of intensive sustaining and disruptive innovation, which also embrace food systems and security.

Blockchain can inform fishery by improving safety of business models through combatting fraud, food traceability from farm to fork, food waste and food-related diseases (Altoukhov, 2020). Blockchain will also contribute to addressing crucial supply chain issues as evidenced by COVID-19 pandemic (Rowan & Laffey, 2020; Rowan & Laffey, 2020b).

Table 2
Digital technologies used in fisheries and aquaculture.

Digital Technology	Application	Supporting Reference
Robotics	<ul style="list-style-type: none"> ➤ Address complicated tasks and laborious work, such as cleaning ponds and repair damaged nets ➤ monitoring behaviours, removing diseased fish, feeding ➤ injecting vaccines, ➤ unwater inspections of nets, evaluating fish health and escapes 	<p>Lucas et al. (2019) Kruusmaa et al. (2020) Sun et al. (2020) Lee et al. (2013) Paspalalakis et al. 2020 Ohrem et al. (2020) Nahavandi, 2019 Ducket et al. (2018)</p>
Drones	<ul style="list-style-type: none"> ➤ Monitor fish farms above and below water ➤ Check holes in damaged cages ➤ Data collection combining AI and cloud computing to improve aquaculture operations 	<p>Sousa et al. (2019) Yoo et al. (2020) Weiss et al. (2020)</p>
Sensors/ Remote Sensing	<ul style="list-style-type: none"> ➤ Collecting water parameters in real time ➤ Underwater sensors to monitor hunger levels of fish in ponds and cages ➤ Fish metabolism and heart rates ➤ Reduced wastage and improved feed rates 	<p>Antononucci & Costa, 2020 Xing et al. (2019) Zhou et al. (2019) Svendsen et al. (2020) Tsolakis et al. (2019)</p>
AI	<ul style="list-style-type: none"> ➤ Makes better and faster decisions ➤ Less labor intensive, ➤ Improved efficacy of feeders, water quality monitoring and control, harvesting and processing 	<p>Razman et al. (2020) Josthiswaran et al., 2020 Yang et al. (2021) Misra et al. (2020) Wang et al. (2021)</p>
Augmented Reality (AR)	<ul style="list-style-type: none"> ➤ Teaching, training and education ➤ Improved production efficiencies, decreased costs ➤ Facilitates under water drones and robots ➤ Monitors fish behaviour, net holes and fish mortality ➤ Risk mitigation ➤ Measure water parameters 	<p>Jung (2019) Xi et al. (2019) Rowan et al. (2022)</p>
Virtual Reality (VR)	<ul style="list-style-type: none"> ➤ Real time simulation of environmental situations using digital interface (head sets) ➤ Teaching, training and education ➤ Used for high risk environments (remote) using human computer and multimedia platforms 	<p>Ferreira et al., 2012 Prasolova-Förland et al. (2019) Chen and Zhang (2017) Pspotka, 1995</p>
3D printing	<ul style="list-style-type: none"> ➤ Printing hydroponic systems ➤ 3D verification devices ➤ 3D printed water sensors for monitoring water parameters ➤ Reduced equipment and production costs 	<p>Clark, Moore, Wang, Tan, and McKinley (2012)</p> <p>Banna et al. (2017) Chen and Zhang (2017)</p>
IoT	<ul style="list-style-type: none"> ➤ Connect big data across aquaculture industry ➤ Combined use of social media 	<p>Kamaruidzaman and Rahmat (2020) Dupont et al. (2018) Yu et al. (2017) Alonso et al. (2020) Dash et al. (2022)</p>
Blockchain	<ul style="list-style-type: none"> ➤ Cybersecurity, safe data sharing, ➤ Payment processing ➤ Industry protection ➤ Full traceability across value chain ➤ Reduce food wastage, improve food safety 	<p>Perez-Pons et al., 2021 Lennox et al. (2020) Bodkhe et al., 2020 Altoukhov, 2020 Feng et al. (2020) Arvanitis & Symenonaki, 2020 Rejeb et al. (2020)</p>

Table 2 highlights that digital technologies offer much potential to address these challenges; but despite this, the uptake of new digital technologies by actors across the agri-food systems has been quite slow. Additionally, much of the potential value of the data that is already collected remains untapped because it exists in silos unavailable to those who might use it. Unlocking the value of this data remains a significant challenge due to technological barriers, lack of trust between the different actors (regarding also data security and safety issues), and economic barriers, such as reluctance of stakeholders to invest because of unclear returns and variable ability of the private sector to serve transparency needs (Rowan & Galanakis, 2020). The potential gains that exist from the automated ICT-based collection and analysis of data and the implementation of precision technologies can only be fully realised when the whole agri-food system and its dynamics and responsiveness is dealt with as a whole (Hrustek, 2020). This enables feedback and learning mechanisms through which consumer and processor preferences can influence the practices of primary producers, which in turn can influence the products developed by feed suppliers. Digitalization also facilitates feed-forward mechanisms where information from aquaculture processes (such as data on production processes, quantity, quality and composition of primary products) can influence the short and medium term plans of processors. Thereby minimising waste, maximising the efficiency of the system, including optimization of the supply chain in terms of energy, waste and overall sustainability, while facilitating the production of higher value end products. Albeit rooted in Agriculture 4.0 that enables real-time efficiencies for new products and services, digital technologies are also becoming intertwined with the human mind for problem solving, such as use of robots under an emerging Industry 5.0 – human centric solution model (Rowan et al., 2022).

Farmery et al. (2022) noted that the supply and consumption of seafood is influenced by a range of 'drivers' including marine regulation and ecosystem changes as well as the growing focus on the role of seafood in meeting nutritional needs. Consequently, there is an opportunity to apply digital tools such as IoT, cloud-based edge and blockchain to evaluate the convergence of these drivers. It is likely that these drivers will be informed by greater appreciation of the needs, potential impacts and solutions in order to facilitate alignment with increasing seafood production and consumption such that they meet many of the sustainable development goals of the United Nations (Mondejar et al., 2021). Farmery et al. (2022) advocate consideration for improved access and utilization to seafood, particularly for those affected by food in security and malnutrition that includes mitigating against waste. The development and application of information and communication technology (ICT) tools has led transforming many sectors by way of creating awareness and improved efficiencies (Mondejar et al., 2021). Dash et al. (2022) conducted a systematic review of published literature in order to highlight potential benefits of socio-economic development and sustainability in the fishing industry. This study reported on evidence-based findings from government, policy developers and researchers to address this topic where these authors noted that the application of ICT in fisheries will enhance profitability and minimize resource wastage, strengthen fishermen's income and improve standard of living.

There has been increased systematic use of novel measurement tools to help understand and address key factors governing sustainability of seafood across the value chain. For example, use of life cycle assessment (LCA), material flow analysis (MFA), principle component analysis (PCA) and transnational modelling where significant regional variances in efficiencies occur in the water-food-energy nexux (Cooney et al., 2021; Laso et al., 2021; Naughton et al., 2020; Ruiz-Salmon et al., 2021; Ruiz-Salmon, Laso, et al., 2021). Interestingly, Cooney et al. (2021) investigated impact categories that can be applied to evaluate aquaculture systems, namely, LCA, global warming potential (GWP), acidification potential (AP), eutrophication potential (EP), freshwater and marine ecotoxicity potential (EAETP and MAEPT), cumulate energy demand (CED), net primary production use (NPPU) and water use.

Additionally, Rowan and Casey (2021) evaluated the maturity of innovation products and services in terms of technology, societal and policy readiness levels. However, there is a commensurate need to monitor and manage such big data in real time to inform standardization, decision-making, strategic policy and management. Given complexity, Rowan and Casey (2021) advocated a more simpler approach to inform the maturity of innovation, products and services that can be applied to fisheries based on technological, societal and economic readiness levels. The underpinning rationale for introducing new sustainable blue economy models and tools is to support efficiency, reduce wastage and risk, improve robustness, increase standardization and future-proof the industry with new innovations and upskilled people. This surge in published materials on sustainability also coincides with the introduction of the European Green New Deal initiative that has provided opportunities for developing cross-cutting eco-solutions (Galanakis et al., 2021; Rowan & Galanakis, 2020). COVID-19 pandemic also provided a pronounced period of reflective thinking for scientists in addition to causing disruption in important supply chains (Rowan & Laffey, 2020; Rowan & Laffey, 2020b; Rowan & Moral, 2021).

3. Novel aquaculture production systems – test beds for monitoring impact of climate change on production

A unique freshwater integrated-multitrophic aquaculture system has been developed in the Irish peatlands that relies upon naturally occurring microalgae, bacteria and duckweed to manage waste stream and water quality through a recirculation process (O'Neill et al., 2019, 2022; O'Neill & Rowan, 2022, p. 802). This two hectare peatland site is powered by wind turbines where this IMTA process is designated as having 'organic' status. This combined research and commercial site produces perch and trout along with harvesting of duckweed as a high protein source where there is no discharge of aquaculture effluent to receiving water, unless under periods of heavy rainfall (O'Neill et al., 2020). This IMTA system is appropriate for end-to-end monitoring using sensors and cloud-edge computing that informs biomass production against feed conversion ratio. The diverse microbiome ecosystem observed in the ponds have been profiled using next-generation sequencing and bioinformatics (O'Neill et al., 2022) where there is also potential to provide real-time decision making when this data is linked to AI and machine learning. This will provide real-time data from a monitoring and production perspective, which is particularly relevant given that fish production was significantly affected by frequent storms attributed to extreme weather events in 2020 leading to fish mortality (O'Neill et al., 2022). O'Neill and Rowan (2022) also highlighted the potential relevance of specific predominant microalgae and cyanobacteria that occur in the ponds as indicative bioindicators of IMTA functionality and performance. Profiling of harmful cyanobacteria in this IMTA system, combined with monitoring physicochemical parameters, can mitigate disruption. Naughton et al. (2020) noted the relevance of linking data generated from using sophisticated flow cytometry with in-farm handheld AlgaTorch™ in order to provide real-time monitoring of fish production. This IMTA-peatland site can also be used to monitor carbon sequestration and energy usage that can be informed by life cycle assessment exercises (Rowan & Pogue, 2021; Laso et al., 2022). This peatland site is also suitable for deploying digital technologies such as drones and robots for addressing a broad range of sophisticated to banal activities, along with using satellites to aid modelling and prediction of extreme weather events that can jeopardize the production (Terrain-AI, 2022). For landbased aquaculture systems, such as paludiculture-based processes, there is potential to consider food value chain feedback loops and to identify actors that are willing to bear part of the cost of the engagement for strengthening ecosystem services (including carbon sequestration, biodiversity protection, protection of water bodies, avoidance of antibiotics, promotion of pollinators) (O'Neill et al., 2022).

4. Role of Quadruple Helix innovation HUBs in increasing sustaining and disruption innovation

The Quadruple Helix Hub concept refers to a harmonizing and unifying commensurate contributions from academics, industry, government and society to efficiently meet established and emerging needs for the industry sector that also consider impact and added value (Galanakis et al., 2021; Rowan & Casey, 2021). This philosophy of stakeholder convergence for the betterment of society and the economy differs radically from a silo approach to problem solve and to innovate. The Quadruple Helix Hub approach supports and enables access to specialist equipment and subject matter expertise to deliver real-time solutions for the industry that commensurately informs policy and engages society by way of increased awareness and end-user feedback. Given the broad diversity of issues, drivers and stressors affecting fisheries, this holistic stakeholder approach fosters a multi-disciplinary clustering network to address these for to support the industry. This approach enables data to be gathered to inform tools for sustainability such as use of LCA, MFA and PCA to define activities and processes. For example, use of Cloud-Edge computing for end-to-end monitoring of value chain and the use of AI enabled drones and robotics for improved efficiency and to reduce reliance on workforce for menial or hazardous tasks (Yue and Shen, 2022). The Quadruple Helix concept aligns with the Innovation Hub framework; moreover, there are currently 706 digital innovation hubs (DIHs) where the European Commission has catalogued these and is supporting applications to recognise many as European Digital Innovation Hubs (EDIHs) (Rowan et al., 2022). In essence, these EDIHs will be operate to streamline efficiency and to provide real-time solutions to advance industry that also draws upon strengths and lessons learnt from adjacent partnering industry. Innovation Hubs typically enable entrepreneurial needs through five interlinked categories, (1) launching strategic initiatives, (2) re-entering existing programme, (3) updating stakeholder strategic agencies, (4) aligning infrastructure, (5) setting up strategic fora. InvestEU, short term training course are aligned with EDIHs by way of engaging with regional and national policy makers, deploying effective media to highlight resources and opportunities, and by impact assessing activities that includes indicators, and KPIs, developing targets, generating new knowledge including exploiting Open access to achieve benchmarking and policy recommendations.

This clustering of stakeholders in fisheries aligns with Agriculture 4.0 concept that will improve efficiency business models, management decision making and planning and risk mitigation for greater performances and reduction in waste. This convergence of actors will also help address important logistics underpinning sustainable supply chains. Application of the Quadruple Helix model also addresses holistic challenges in order to obtain real-time solutions (Rowan & Casey, 2021); for example, it can be applied to monitor and predict potential consequences of stressors that can jeopardize activities including extremes in climate change. EDIHs can also support and connect SMEs where new technologies can be tested, investment can be sourced, specialist training can be delivered including use of remote immersive technologies and so forth (Rowan and Galanakis, 2020). This approach can improve sustainability for the industry, both horizontally and vertically, and it is not surprising that this converging clustering framework has been adopted to help understanding regional strengths and weaknesses through transnational modelling with view to harmonization, such as through European Interreg initiatives (Laso et al., 2022). Recently, there has been greater focus on personal experiences that has led to the human centric Industry 5.0 concept that will also help with promoting greater awareness of new sustainable innovation, social enterprises and community transition to low carbon innovations. For example, Giron-Nava et al. (2021) noted that effective fisheries management is necessary for the long-term sustainability of fisheries and the economic benefits that they provide, but focusing only on ecological sustainability risks disregarding ultimate goals related to well-being that must be achieved through broader societal policy. These authors reported that if all fisheries in every country

was perfectly managed to achieve maximum sustainable yield, average incomes of fishers in up to 49 countries (70% of fishers worldwide), would still not meet minimum living wages. Thus, the Quadruple Helix Hub approach will support greater efficiencies and it is envisaged that this will not only underpin increasing sustaining innovation, but it will also potentially support disruptive activities creating new eco-innovation, products and services for the new Green Deal era. This is evident in Ireland where Science Foundation Ireland operates a disruptive technology funding initiative where there is increased trend towards exploiting cross-cutting domains of activity such as smart specialisation and digital transformation to inform disruption (Rowan and Galanakis, 2020).

Allied Market Research recently forecast the global aquaculture market will be worth \$378 billion by 2027, up from \$285 billion in 2019. There is increasing opportunities for enterprise and entrepreneurial accelerator initiatives for this industry. For example, Batch Blue, an Irish aquaculture accelerator has raised over €75 million and has invested in 38 start-ups and companies globally (Taylor, 2021). Among the Irish start-up that received training from Hatch Blue aquaculture accelerator is Planruption, a company that is developing plant-based seafood where it has also chosen to participate in the prestigious IndieBio accelerator in the US. Eco-innovations developed under the Empower Eco sustainability HUB in the Irish midlands (Rowan & Casey, 2021) will also exploit digital technologies aligned with both the EIDH and Quadruple Helix HUB models (Fig. 1).

Use of social marketing to highlight challenges and opportunities in the blue economy that includes promoting behavioural change towards new innovation, consumption of seafood and Marine Citizen Science (Domegan, 2021). Domegan (2021) noted that in this complex world the call to action is large-scale behaviour change. In response, social marketing with its behaviour change prime directive has been expanding in experience, evidence, theories and toolkits. Aligned to the tenets of human centric Industry 5.0 conception, social marketing critically examines the interface of human and natural systems and their interconnected dynamic forces as a powerful means of influencing behaviours for the accorded transformation and betterment of individuals, communities, society and the planet. In pursuit of green deal innovations, critical trends in social marketing as it relates to fisheries will embrace systems science, stakeholder engagement and digital technologies. Marine citizen science is emerging with promising opportunities for science, policy and public but there is still no comprehensive overview of the current state in Europe. Garcia-Soto et al., 2021 reviewed 127 projects identified for the North Sea and observed that untapping the potential of smart mobile apps, do-it-yourself (DIY) technologies, drones, and artificial intelligence (AI) web services will be relevant to for technological advancement. Kelliher et al. (2022) highlighted that the proactive use of green innovation enablers is influenced by openness to engage in green innovation, and their ability to identify, pool and bundle internal and external resources, their capacity to understand and implement green regulations, and their ability to lever




Fig. 1. European Digital Innovation Hub proposition that will support fisheries and aquaculture.

green potential for socio-economic gain that could contribute to sustainable business goals. However, [Deloitte \(2014\)](#) interviewed Chief Financial Officers from 250 companies across 16 countries that included food companies and there is significant under-appreciation to grasp or understand key issues and risks around sustainability. However, digital tools will support a roadmap that will align sustainability goals, activities and metrics with strategic industry goals across enterprise including fisheries. This will have knock-on implications including reducing cost of energy, materials, labor and other inputs including waste, through full value chain and contract management. This trend is also seen in recreational fishers who are increasingly using social and other digital media to share their experiences with followers; but, management of these socio-ecological systems is challenged by monitoring gaps, bias sampling and insufficient resources to conduct social surveys of human populations that include tool availability/accessibility, sampling biases, and making findings relevant and useable to practitioners ([Lennox et al., 2020](#)).

5. Sustainable food processing and safety

Health, nutrition and convenience are significant factors influencing the sustainable direction of the food industry globally ([Nagarajarao 2016](#)). Fish products have attracted considerable attention as an important source of protein, vitamins, minerals, and fats. However, as fish are very perishable, appropriate processing and packing is required to maintain their quality. Worldwide, a diversity of preservation methods are being applied and developed ranging from simple chill storage to more complex advances in high pressure and electromagnetic field application ([Nagarajarao 2016](#)). [Food Standards Agency UK \(2021\)](#) noted that agri-food industry is experiencing strong technology push, potentially bringing products and services to the market for the sake of the technology, rather than satisfying a consumer need. This organization considers that modern heavily processed foods and processes may remove the opportunity of immune-priming by making everything unnaturally clean, which is something to be mindful of in terms of health for the long term. Digital technologies can transform food processing by enabling end-to-end monitoring that can inform standardization of approaches including incremental innovative steps. [Rowan \(2019\)](#) had reviewed the disruptive potential of pulsed UV with particular emphasis on contact surface disinfection for foods and for packaging where there is a lack of international consensus on defined parameters and disinfection performance for this technology that could be informed by cloud-edge computing, AI and machine learning. Emergence of new studies on the use of novel bioactives in edible and non-edible packaging films such as use of plant antioxidants and antimicrobials for seafood is becoming increasingly popular ([Oreopoulou and Tsironi, 2022](#)). The [UK Food Safety Authority \(2021\)](#) intimated that emerging disruptive technologies may arise in active packaging, intelligent and smart packaging, novel nanotechnology packaging films, biodegradable and edible films, and reusable and zero packaging. [Masterson et al. \(2021\)](#) also reported on the use of a mild-temperature extrusion process suitable for combining and treating heat-sensitive bioactives that can have potential applications in fish and seafood packaging. The development of algorithms and machine learning for the future real-time assessment and modelling of shelf life of processed fish will advance the field of sustainable food processing ([Tsironi et al., 2021](#)).

Relative to other sectors, the food industry has been relatively slow to adopt digital technologies that includes discrete applications at the field, farm and factory level including automation, robotics and performance monitoring where the emphasis has been placed on process optimization ([Food Standards Agency UK, 2021](#)). Innovative new internet-embedded food distribution and services have been developed at the consumer level. Digital technologies have been applied at an integrated systems level to connect stakeholders at all stages of the value chain and to secure the gap-less digital traceability of food items from farm to fork, such as use of blockchain ([UK Food Standards Agency, 2021](#)).

The [UK Food Standards Agency \(2021\)](#) stated that digital technologies that impact on consumers and food safety can be grouped as:

- (a) Digital technologies that are applied directly to food production processes (such as sensor-based agriculture, traceability, scanning technologies for contaminant detection, monitoring of producing and delivery, smart packaging), where resulting flow of information is based on input of data collected from the actual food item.
- (b) Digital technologies generating information relevant for food from input data not directly collected from that actual food item – such as that used for supporting decision making and influencing consumer choices (such as genomics or bioinformatics data).
- (c) The platforms used for aggregating data, transmitting data securely, record keeping, and decision making either autonomously or with human input.

The main digital technologies relevant to food safety include (a) IoT, cloud computing, big data, machine to machine communication and remote sensing that enables rapid communication from across the global value chain ([Misra et al., 2020](#); [UK Food Standards Agency, 2021](#)); (b) AI, machine learning, digital twins that offer sophisticated analytics, diagnostics and predictive capabilities, self-monitoring capabilities, and smart machines that evaluate and diagnose issues without need for human intervention ([Defraeye et al., 2021](#); [UK Food Standards Agency, 2021](#)); and distributed ledger technology (DLT) such as blockchain that facilitates the decentralization of databases across several locations to provide secure, verifiable and auditable history of all information stored in the dataset ([Rejeb et al., 2020](#); [UK Food Standards Agency, 2021](#)). [Marvin et al. \(2017\)](#) also noted the relevance of consumer-facing apps that support access to food data and information for decision making that has a nexus to social media, education and early warning systems. [Rejeb et al. \(2020\)](#) reported that their remains challenges with implementation, validation and regulation of digital technologies. Technical integration and interoperability across the worldwide supply chains is complex and can be impeded by lack of infrastructure, lack of standardization and harmonization, and data integrity and data security risks ([Agency, 2021](#); [Feng et al., 2020](#); [UK Food Standards Agency, 2021](#)).

6. Fisheries and aquaculture welfare

Disease mitigation remains an important activity for safe guarding fish welfare ([Boutier et al., 2019](#)) where there is a trajectory away from using chemical bioacides and antibiotics. Consequently, there has been increased interest in the development of vaccines in order to address key fish pathogens ([Boutier et al., 2019](#)). Facing the lack of efficient treatments for addressing a deadly disease in common carp caused by cyprinid herpesvirus 3 (CyHV-3), safe and efficacious prophylactic methods (such as the use of vaccines) represent the most promising approach to controlling this virus. [Delrez et al. \(2021\)](#) reported on the importance of pre-release quarantine for mitigation of glass eel sanitary. There is potential to include phage therapy also for fish welfare particularly to offset emergence of antimicrobial resistance ([Rowan et al., 2022](#)). Fish welfare is a constant challenge given the variety of microbiological, virological, parasitology and cyanobacteria (algal bloom) threats combined with plethora of biological and environmental factors that can influence disease mitigation efficacy ([Franssen et al., 2019](#); [O'Neill et al., 2022](#)). [Pogue et al. \(2021\)](#) also highlighted the benefits of prophylactic administration of β -glucans in aquaculture including enhanced immune responses, anti-inflammatory effects, resistance to infection, stress resistance, physical growth improvement, as well as extension of lifespan. However, it is important to commensurately evaluate the potential toxicity and safety of bioactives when used in fish feeds, such as bioreactor-grown exopolysaccharides and endopolysaccharides from medicinal fungi mycelium for future

aquaculture applications (Usuldin et al., 2021; Wan-Mohtar et al., 2021). Digital technologies such as underwater sensors and drones can be used to monitor fish health (Yue & Shen, 2022; Rowan et al., 2022) with future potential for use of immersive technologies for training.

There is a need to develop robust disease mitigation models to inform monitoring of interventions that can also inform appropriateness of in vitro (lab-based) testing and linked in farm aquaculture technologies (Naughton et al., 2020). It is likely that use of AI and machine learning will be deployed to support and enable automation in disease mitigation processes. There is also increased interest in managing complex algal blooms that can deplete wild fish stocks (Sakamoto et al., 2021) and IMTA processes (O'Neill et al., 2022). Murray et al. (2017) had reported on the efficacy of pulsed UV light for destroying complex algal toxins under laboratory testing; however, Fitzhenry et al. (2021) highlighted that pulsed UV light was less efficient at energy conversion and less biocidal compared to using conventional low-pressure (fixed wavelength) light. Use of broad spectrum light for disease mitigation would be appealing given that its technically a natural process that leaves no unwanted chemical residues; however, pulsed light needs to be developed further and cannot be used directly to treat infected fish. Garvey et al. (2015) reported that PUV was not ecotoxic to receiving water, yet killed *Cryptosporidium* oocysts. Maclean et al. (2009) reported on the use of fixed wavelength (405 nm) blue light for safely disinfecting a range of pathogens, which highlights the potential of photonics for use in fisheries for disease mitigation. Blue light (400–500 nm) alleviates over-exposure risks associated to UV light. However, there appears to be a lack of robust data on relevant intensities, wavelengths and exposure doses for superficial blue light decontamination in food safety context (Lawrence et al., 2022). Understanding molecular and cellular processes that underpin disease mitigation technologies and approaches are important (Farrell et al., 2010, 2011). Franseen et al. (2019) noted that the literature-based data are diverse and insufficient to model survival of parasite transmission stages as response to different treatment. Moreover, research on foodborne parasites should be improved to standardize experimental approaches for evaluation of inactivation techniques and methods to monitor inactivation. Digital technologies will enable fish welfare by supporting and enabling end-to-end monitoring and interventions that will inform standardization, decision making and policy.

7. Climate change

At the time of writing this viewpoint, the United Nations reported that sea level rise, ocean heat, greenhouse gas concentrations, and ocean acidification have set alarming new records (United Nations, 2022). Human behaviour accounts for approximately 1.0 °C of global warming above pre-industrial levels and calls for wide-scale behaviour change (IPCC, 2022; O'Sullivan, 2022). Researchers have reported that climate change can significantly affect biodiversity, ecosystem services, natural resource management and food security (Weisikopt et al., 2020; Rozenzweig et al., 2020). Galappaththi et al. (2022) recently reviewed case studies between 1990 and 2019 that lay at the cross-section of climate change, adaptation and fisheries where these authors observed 3 emerging categories of adaptive responses; namely, (a) coping mechanisms (such as use of traditional knowledge, changing fishing location), (b) adaptive strategies (such as livelihood diversification, incorporation of technology), (c) management responses (such as adaptation planning and adaptive management). These authors identified important areas for future research including studies on the limits and barriers for industry adaptation to climate change that consider multiple stressors including general climate impacts, extreme events, ocean conditions, marine system shifts, climate variability, fishery dynamics, species distribution and atmospheric warming. New challenges in terms of real-time evaluation of big data generated that will inform conceptual and predictive models will be likely met by digital tools such as IoT, cloud-edge computing for end-to-end monitoring, where security and business sustainable models

will be enabled by blockchain (Mondejar et al., 2021). Barry and Hoyne (2021) addressed social enterprise issues underpinning sustainability across sectors with a climate change dimension.

In terms of knowledge gaps, key information is required to generate robust climate models that may inform adoption of technological solutions and efficient data sharing within agri-food systems (Yue & Shen, 2022). This can be achieved through use of defined demonstrator sites such as at Mount Lucas for aquaculture (O'Neill et al., 2022; O'Neill & Rowan, 2022, p. 802) that can feed into predictive models including capacity for carbon sink measurements (Terrain-AI, 2022). Specific solutions should be advanced to identify barriers and to leverage innovation in fisheries and seafood by using tailored digital tools and services that can be improved by integrating social science research to help unlock social and cultural practices across the value chain and to develop appropriate business models (Domegan, 2021). There is potential for developing more user-friendly technologies and services, such as ethical nudging tools (example, direct marketing and consumer shopping experience), information tools (e.g., social media, apps), gamification approaches, co-design and so forth (Mondejar et al., 2021). Asche et al. (2018) noted that future emphasis will also be placed on developing integrated, transdisciplinary research to address the three pillars of sustainability (social, economic and environmental). However, while digital technologies can deliver efficiencies in real time, there is a commensurate need to understand better the costs and benefits of ICT technologies in such agri-food systems spanning employment to nutrition and food security (Rowan et al., 2022). A Quadruple helix framework is appropriate to supporting and enable fishiers along the supply chain that can influence economic, environmental, social, legislative, geographical, behavioural and business management. Data stewardship is also important as it relates to cybersecurity and protection of personal data and rights (Rowan & Pogue, 2021; UK Foods Standards Agency, 2021).

8. Conclusion

Wild stock fisheries are depleting rapidly where there is great pressure placed on promoting innovation and sustainability through aquaculture. There is increasing pressure on aquaculture to meet the important role of supplying high quality protein to meet the ever increasing growth in our global population. Although aquaculture is more diversified than other areas of agriculture, there are significant challenges ahead for the sector. Digital technologies can help address these concerns and also potentially disrupt fisheries and aquaculture. Digital technologies include cloud-edge computing, AI enabled drones, sensors and robotics, immersive technologies and blockchain. However, increasing converging efforts need to be made to create a greater awareness of the practical applications of digital technology in order to advance the industry that is slow to adopt new innovation. Use of the Quadruple helix hub concept ('academic-industry-government-society') will provide a reliable and robust interface for supporting and enabling micro, small and large companies across the fisheries and aquaculture ecosystem. This aligns with the tenets of digital innovation hub structure across Europe where the emphasis is on enabling companies to innovate through provision of specialist training, testing new products, and to access to funding linked to innovating incubators/accelerators. Using this clustering hub model, digitalization will facilitate real-time integration, development and testing of various new technologies that will also inform standardization. Given the complexity of this situation, it is highly improbable for a single aquaculture company, or farmer, to innovate unless supported by subject-matter experts enabled through a multi-disciplinary structure that reflects the purpose of multi-functional innovation hubs. It is recognised that there will also be particular enterprise/entrepreneurial strength and weaknesses across each region; thus, there are significant opportunities for applying transnational modelling combined with sustainable tools (such as life cycle assessment, material flow analysis, principle component analysis) to inform

appropriate solutions. Priority topics include food-water-energy nexus, circular economy, climate change and biodiversity protection, and fish welfare that includes supply chain for safe nutritious feed and disease mitigation. This approach will also help stakeholders to understand and model the impact of extreme weather events (climate change) and other disruptive events (pandemics, conflicts) that can jeopardize critical supply chains. There are also pressing opportunities to develop block-chain for enhanced security and business models that addresses risk mitigation; but, to also embrace the social sciences and business domains for promoting greater stakeholder awareness and for behaviour change as we embrace the digital era. While it is appreciated that the short to medium term deployment of digital technologies will improve efficiencies and speed of production for improved profitability and sustainability, there is also significant potential for use of AI, machine learning and robotics to unlock a wealth of innovation when one aligns these digital technologies with bioinformatics and next generation sequencing. For example, rapid profiling of microalgae linked to bio-refinement of their high-value bioactives for advancing fisheries and adjacent industries. Digital technologies can also inform novel processing of fish and seafood that includes potential for future automation, training and improved standardization. Thus, digitalization will support and enable our ability to make informed decisions on the use and protection of our natural resources. There is a pressing need to conduct life-cycle assessment aligned with developing e-waste recycling technologies that will be met through better infrastructure, upskilled staff and appropriate policies. Cybersecurity is a pressing topic that informs new business models, risk mitigation and network integrity. There are increased opportunities to use digital technologies to meet several of the sustainable development goals of the United Nations.

Declaration of competing interest

The author declares no conflict of interest for this viewpoint paper.

Acknowledgments

The author would like to thank Interreg Atlantic Area Neptunus (Project EAPA_576/2018), MSCA RISE (ICHTHYS Project Number 872217); Regional University Network European University (RUN-EU Project), and Bord Iascaigh Mhara (Project 2019 BIM-KGS-008) for funding support.

References

- Ab Rahman, A., Hamid, U. Z. A., & Chin, T. A. (2017). Emerging technologies with disruptive effects: a review. *Perintis eJournal*, 7, 111–128.
- Alonso, R. S., Sitton-Candanedo, I., Garcia, O., Prieto, J., & Rodrigue-Gonzalez, S. (2020). An intelligent Edge-IoT platform for monitoring livestock and crops in a dairy farming scenario. *Ad Hoc Networks*, 98(1), Article 102047. <https://doi.org/10.1016/j.adhoc.2019.102047>
- Altoukhov, A. V. (2020). Industrial production platforms and production in aquaculture. In *IOP conference series: Earth and environmental science*. IOP Publishing, Article 042021.
- Antonucci, F., & Costa, C. (2020). Precision aquaculture: A short review on engineering innovations. *Aquaculture International*, 28, 41–57.
- Arvanitis, K. G., & Symeonaki, E. G. (2020). Agriculture 4.0 – the role of innovative smart technologies towards sustainable farm management. *The Open Agriculture Journal*, 14, 130–135.
- Asche, F., Garlock, T. M., Anderson, J. L., Bush, S. R., Smith, M. D., Anderson, C. M., Chu, J., Garrett, K. A., Lem, A., Lorenzen, K., Oglend, A., Tveteras, S., & Vannuccini, S. (2018). Three pillars of sustainability in fisheries. *Proceedings of the National Academy of Sciences*, 115, 11221–11225.
- Banna, M., Bera, K., Sochol, R., et al. (2017). 3D printing based integrated water quality sensing systems. *Sensors*, 17, 1338.
- Barry, D., & Hoyne, S. (2021). Sustainable measurement indicators to assess impact of climate change. Implications for the New Green Deal Era. *Current Opinion in Environmental Science and Health*, 22. <https://doi.org/10.1016/j.coesh.2021.100259>
- Bodkhe, U., Tanwar, S., Parekh, K., Khampara, P., Tyagi, S., Kumar, N., et al. (2020). Blockchain for industry 4.0: A comprehensive review. *IEEE Access*, 8, 79764–79800.
- Boutier, M., Gao, Y., Donohoe, O., & Vanderplassen, A. (2019). Current knowledge and future prospects of vaccines against herpesvirus 3 (CyHV-3). *Fish & Shellfish Immunology*, 93, 531–541.
- Ceipek, René, Hautz, Julia, Petruzzelli, Antonio, De Massis, Alfredo, & Matzler, Kurt (2021). A motivation and ability perspective on engagement in emerging digital technologies: The case of Internet of Things solutions. *Long Range Plan*, 54(5), Article 101991. <https://doi.org/10.1016/j.lrp.2020.101991>
- Chen, Z. Y., & Zhang, W. S. (2017). Construction and implementation of 3D aquaculture virtual simulation experiment systems. *Modern Computer*, 16, 2017.
- Clark, A. J., Moore, J. M., Wang, J., Tan, X., & McKinley, P. K. (2012). Evolutionary design and experimental validation of the flexible caudal fin for robotic fish. In *Artificial life conference proceedings*, 12 pp. 325–332. MIT Press.
- Connolly, A. (2018). Eight digital technologies disrupting aquaculture. <https://www.globealseafood.org/advocate/eight-digital-technologies-disrupting-aquaculture/>. (Accessed 6 April 2022).
- Cooney, R., Tahar, A., Kennedy, A., & Clifford, E. (2021). The dilemma of opportunity in developing a life cycle assessment of emerging aquaculture systems – a case study of a Eurasian perch (*Perca fluviatilis*) hatchery recirculating aquaculture system. *Aquaculture*, 536, Article 736403. <https://doi.org/10.1016/j.aquaculture.2021.736403>
- Dash, M. K., Singh, C., Panda, G., & Sharma, D. (2022). ICT for sustainability and socio-economic development in fishery: A bibliometric analysis and future research agenda. *Environment, Development and Sustainability*. <https://doi.org/10.1007/s10668-022-02131-x>
- Defraeye, T., Shivastava, C., Berry, T., Verboven, P., Onwude, D., Schudel, S., Buhlmann, A., Cronje, P., & Rossi, R. M. (2021). Digital twins are coming: will we need them in supply chains of fresh horticulture produce? *Trends in Food Science & Technology*, 109, 245–258.
- Deloitte. (2014). CFOs and sustainability: Shaping their roles in an evolving environment. <https://www2.deloitte.com/content/dam/Deloitte/global/Document%20s/Risk/dtl-risk-Deloitte-CFOs%20and%20Sustainability-2014.pdf>.
- Delrez, N., Zhang, H., Liefrrig, F., Melard, C., Farnir, F., Boutier, M., Donohoe, O., & Vanderplassen, A. (2021). European eel restocking programs based on wild-caught glass eels: Feasibility of quarantine stage compatible with implementation of prophylactic measures prior to scheduled reintroduction to the wild. *Journal for Nature Conservation*, 59. <https://doi.org/10.1016/j.jnc.2020.125933>
- Domegan, C. (2021). Social Marketing and behavioural change in a systems setting. *Current Opinion in Environmental Science and Health*. <https://doi.org/10.1016/j.coesh.2021.100275>
- Ducket, T., Pearson, S., Blackmore, S., Grieve, B., Chen, W., Cielniak, G., ... Yan, G. V. (2018). *Agricultural robotics: The future of robotic agriculture*. arXiv preprint arXiv:1806.06762.
- Dupont, C., Cousin, P., & Dupont, S. (2018). IoT for aquaculture 4.0 Smart and easy-to-deploy real-time water monitoring with IoT. In *2018 global internet of things summit (GloTS)* (pp. 1–5). IEEE.
- Evensen, T. (2020). *Fishy business: Closing the gap between data-driven decision-making (DDM) and aquaculture. An analysis of incumbents in the Norwegian aquaculture industry (NAI) and the use of big data for competitive advantage*.
- FAO. (2020). *The state of world fisheries and aquaculture 2020, Italy: Sustainability in action*.
- Farmery, A. K., Alexander, K., Anderson, K., Blanchard, J. L., Cater, C. G., Evans, K., Fischer, M., Fleming, A., Frusher, S., Fulton, E. A., Haas, B., MacLeod, C. K., Murray, L., Nash, K. L., Pecl, G. T., Rousseau, Y., Trebilco, R., van Putten, I. E., Mauli, S., ... Nowak, B. (2022). Food for all: Designing sustainable and secure future seafood systems. *Reviews in Fish Biology and Fisheries*, 32, 101–121.
- Farrell, H. P., Garvey, M., Cormican, M., Laffey, J. G., & Rowan, N. J. (2010). Investigation of critical inter-related factors affecting the efficacy of pulsed light for inactivating clinically-relevant bacterial pathogens. *Journal of Applied Microbiology*, 108(5), 1494–1508.
- Farrell, H., Hayes, J., Laffey, J. G., & Rowan, N. J. (2011). Studies on the relationship between pulsed UV light irradiation and the simultaneous occurrence of molecular and cellular damage in clinically-relevant *Candida albicans*. *Journal of Microbiological Methods*, 84(2), 317–326.
- Feng, H., Wang, X., Duan, Y., Zhang, J., & Zhang, X. (2020). Applying blockchain technology to improve agri-food traceability: A review of developing methods, benefits, and challenges. *Journal of Cleaner Production*. <https://doi.org/10.1016/j.jclepro.2020.121031>
- Ferreira, J. G., Aguilar-Manjarrez, J., Bacher, C., Black, K., Dong, S., et al. (2012). Progressing aquaculture through virtual technology and decision-support tools for novel management. In *Global conference on aquaculture 2010*.
- Fitzhenry, K., Clifford, E., Rowan, N., & Val del Rio, A. (2021). Bacterial inactivation, photoreactivation and dark repair post flow-through pulsed UV disinfection. *Journal of Water Process Engineering*, 41. <https://doi.org/10.1016/j.jwpe.2021.102070>
- Food Standards Agency UK. (2021). Emerging technologies that will impact on the UK food system – rapid evidence assessment – May 2021. <https://www.food.gov.uk/site/s/default/files/media/document/emerging-technologies-report.pdf>. (Accessed 19 May 2022).
- Franssen, F., Gerard, C., Cozma-Petrut, A., Vieira-Pinto, M., Jambrak, A. R., Rowan, N., Paulsen, P., Rozycki, M., Tysnes, K., Rodriguez-Lazaro, D., & Robertson, L. (2019). Inactivation of parasite transmission stages: Efficacy of treatments on food of animal origin. *Trends in Food Science & Technology*, 83, 114–128.
- Galanakis, C. M., Rizou, M., Aldawoud, T. M. S., Ucak, I., & Rowan, N. J. (2021). Innovations and technology disruptions in the food sector within the COVID-19 pandemic and post-lockdown era. *Trends in Food Science & Technology*, 110, 193–200.
- Galappaththi, E., Susarla, V. B., Loutet, S. J. T., Ichien, S. T., Hyman, A. A., & Ford, J. D. (2022). Climate change adaptation in fisheries. *Fish and Fisheries*, 23(1), 4–21.
- Garcia-Soto, C., et al. (2021). Marine citizen science: Current state in Europe and new technological developments. *Frontiers in Marine Science*, 8. <https://doi.org/10.3389/fmars.2021.621472>

- Garvey, M., Hayes, J., Clifford, E., & Rowan, N. J. (2015). Ecotoxicological assessment of pulsed ultraviolet light-treated water containing microbial species and *Cryptosporidium parvum* using a microbiotest battery. *Water and Environment Journal*, 29(1), 27–35.
- Giron-Nava, A., Lam, V. W. Y., Aburto-Oropeza, O. A., Cheung, W. L., Halpern, B. S., Sumaila, U. R., & Cisneros-Montemayor, A. M. (2021). Sustainable fisheries are essential but not enough to ensure well-being for the world's Fishers. *Fish and Fisheries*, 22(4), 812–821.
- Hrustek, L. (2020). Sustainability driven by agriculture through digital transformation. *Sustainability*, 12. <https://doi.org/10.3390/su12208596>
- Intergovernmental Panel on Climate Change (IPCC). (2022). *Working group III contribution, climate change 2022: Mitigation of climate change*. Released 4th April, 2022. [ipcc.ch/assessment-report/ar6/#:~:text=The%20IPCC%20is%20now%20in,to%20its%20latest%20Methodology%20Report.](https://www.ipcc.ch/assessment-report/ar6/#:~:text=The%20IPCC%20is%20now%20in,to%20its%20latest%20Methodology%20Report.) (accessed 5th April, 2022).
- Josthiswaran, V., Velumani, T., & Jayaraman, R. (2020). Application of artificial intelligence in fisheries and aquaculture. *Biotica Research Today*, 2, 499–502.
- Jung, T. (2019). *Augmented reality and virtual reality. The power of AR and VR for business*. Incorporated, Cham: Switzerland Spring Publishing Company.
- Kamaruzdaman, N., & Rahmat, S. N. (2020). Water monitoring systems embedded with internet of things (IoT) device: A review. In *IOP conference series: Earth and environmental science*. IOP Publishing, Article 012068.
- Kelliher, F., Mellett, S., & Harrington, D. (2022). Enablers of green innovation in the micro firm – perspectives from Ireland and Canada. *Journal of Small Business and Entrepreneurship*, 34, 74–93.
- Kruusmaa, M., Gkivira, R., Tuhtan, J., Tuvikene, A., & Alfredeen, J. (2020). Salmon behavioural response to robots in an aquaculture sea cage. *Royal Society for Flatfish, Aquaculture Engineering*, 54, 78–84.
- Laso, J. et al. (2021). Achieving sustainability of the Seafood sector in European Atlantic area by addressing eco-social challenges: the NEPTUNUS project. *Sustainability*. <https://doi.org/10.3390/su14053054>.
- Lawrence, C., Waechter, S., & Alsanit, B. W. (2022). Blue light inhibits *E. coli*, but decisive parameters remain hidden in the dark: Systematic review and meta-analysis. *Frontiers in Microbiology*. <https://doi.org/10.3389/fmicb.2022.867865>
- Lee, D. G., et al. (2013). Development of a vision-based automatic vaccine injection system for flatfish. *Aquaculture Engineering*, 54, 78–84.
- Lennox, R. J., Sbragaglia, V., Vollset, K. W., Sortland, L. K., McClenahan, L., Jaric, I., Guckian, M. L., Fenter, K., Danylichuk, A. J., & Cook, S. J. (2020). Digital fisheries data in the internet age: Emerging tools for research and monitoring online data in recreational fisheries. *Fish and Fisheries*. <https://doi.org/10.1111/faf.12663>
- Lucas, J. S., Southgate, P. C., & Tucker, C. S. (2019). *Aquaculture farming aquatic animals and plants*. John Wiley & Sons.
- Maclean, M., MacGregor, S. J., Anderson, J. G., & Woolsey, G. (2009). Inactivation of bacterial pathogens following exposure to light from a 405-nm light emitting diode array. *Applied and Environmental Microbiology*, 75(8), 1932–1937.
- Marvin, M. J. P., Janssen, E. M., Bouzembrak, Y., Hendriksen, P. J. M., & Staats, M. (2017). Big data in food safety: A review. *Critical Reviews in Food Science and Nutrition*, 57(11), 2286–2295.
- Masterson, K., Meade, E., Garvey, M., Lyncy, M., Major, I., & Rowan, N. J. (2021). *Development of a low-temperature extrusion process for production of GRAS bioactive-polymer loaded compounds for targeting antimicrobial-resistant (AMR) bacteria*. Science of the Total Environment. <https://doi.org/10.1016/j.scitotenv.2021.149545>, 2021.
- Misra, N. N., Dixit, Y., Al-Mallahi, A., Bhullar, M. S., Upadhyay, R., & Martynenko, A. (2020). IoT, big data and artificial intelligence in agriculture and food industry. *IEEE Internet of Things Journal*, 4662(c), 11, 1–6.
- Mondejar, M. E., Avtar, R., Diaz, H. L. B., Dubey, R. K., Esteban, J., Gomez-Morales, A., Hallam, B., Mbugu, N. T., Okolo, C. C., Rrasad, K. A., She, W., & Garcia-Segura, S. (2021). Digitalization to achieve sustainable development goals: Steps towards a smarter green plant. *Science of the Total Environment*. <https://doi.org/10.1016/j.scitotenv.2021.148539>
- Murray, I. M. T., Rowan, N. J., McNamee, S., Campbell, K., & Fogarty, A. M. (2017). Pulsed light reduces the toxicity of the algal toxin okadaic acid to freshwater crustacean *Daphnia pulex*. *Environmental Sciences and Pollution Research*, 25, 607–614.
- Nagarajaro, R. C. (2016). Recent advances in processing and packaging of fishery products: A review. *Aquatic Procedia*, 7, 201–213.
- Nahavandi, S. (2019). Industry 5.0 – a human-centric solution. *Sustainability*, 1(16), 4371. <https://doi.org/10.3390/su11164371>
- Naughton, S., Kavanagh, S., Lynch, M., & Rowan, N. J. (2020). Synchronizing use of sophisticated wet-laboratory and in-field handheld technologies for real-time monitoring of key microalgae, bacteria and physicochemical parameters influencing efficacy of water quality in a freshwater aquaculture recirculation system: A case study from the republic of Ireland. *Aquaculture*, 526. <https://doi.org/10.1016/j.aquaculture.2020.735377>
- Ohrem, S. J., Kelasidi, E., & Bloecher, N. (2020). Analysis of a novel autonomous underwater robot for biofouling prevention and inspection in fish farms. In *2020, 28th Mediterranean conference on control and automation (MED)* (pp. 1002–1008). IEEE.
- O'Neill, E. A., Morse, A. P., & Rowan, N. J. (2022). Effects of climate and environmental variance on the performance of a novel peatland-based integrated multi-trophic aquaculture (IMTA) system – implications and opportunities for advanced research and disruptive innovation post COVID-19 era. *Science of the Total Environment*, 819. <https://doi.org/10.1016/j.scitotenv.2022.153703>
- O'Neill, E. A., & Rowan, N. J. (2022). Microalgae as a natural ecological bioindicator for the simple real-time monitoring of aquaculture wastewater quality including provision for assessing impact of extremes in climate variance – a comparative study from the Republic of Ireland. *Science of the Total Environment*. <https://doi.org/10.1016/j.scitotenv.2021.149880>
- O'Neill, E. A., Rowan, N. J., & Fogarty, A. (2019). Novel use of the alga *Pseudokirchneriella subcapitata*, as an early-warning indicator to identify climate change ambiguity in aquatic environments using freshwater finfish farming as a case study. *Science of the Total Environment*, 692. <https://doi.org/10.1016/j.scitotenv.2019.07.243>
- O'Neill, E. A., Stejskal, V., Clifford, E., & Rowan, N. J. (2020). Novel use of peatlands as future locations for the sustainable intensification of freshwater aquaculture production – a case study from the Republic of Ireland. *Science of the Total Environment* (Vol. 706). <https://doi.org/10.1016/j.scitotenv.2019.136044>
- Oreopoulou, V., & Trironi, T. (2022). Plant antioxidants and antimicrobials in edible and non-edible active packaging films. *Plant Antioxidants and Health*, 91, 837–860.
- O'Sullivan, K. (2022). Climate change report: it's now or never if we want to limit global warming to 1.5 degrees. <https://www.irishtimes.com/news/environment/climate-change-report-it-s-now-or-never-if-we-want-to-limit-global-warming-to-1-5-degrees-1.4844226>. (Accessed 6 April 2022).
- Paspalakisk, S., Moirogiourou, K., Papandroulakis, N., Giakos, G., & Zervakis, M. (2020). Automated fish cage net inspection using image processing techniques. *IET image Processing*, 14(2028), 2–34.
- Perez – Pons, M., Plaza-Hernandez, M., Alonso, R., Parra-Dominiquez, J., & Prieto, J. (2021). Increasing profitability and monitoring environmental performance: A case study in the agri-food industry through an edge-IoT platform. *Sustainability*, 13, 283. <https://doi.org/10.3390/su13010283>
- Pogue, R., Murphy, E., Fehrenbach, G. W., Rezoagli, E., & Rowan, N. J. (2021). Exploiting immunomodulatory properties of β -glucans derived from natural products for improving health and sustainability in aquaculture-farmed organisms: Concise review of existing knowledge, innovation and future opportunities. *Current Opinion in Environmental Science and Health*. <https://doi.org/10.1016/j.coesh.2021.100248>
- Prasolova-Förland, E., Forninyskh, M., & Ekelund, O. I. (2019). Empowering young job seekers with virtual reality. In *2019, IEEE conference on virtual reality and 3D user interfaces (VR)* (pp. 295–302). IEEE.
- Psotka, J. (1995). Immersive training systems. *Virtual reality and education and training. Instructional Science*, 23, 405–431.
- Razman, M. A., Mareed, A. P. A., Musa, R. M., Taha, Z., Susto, G. A., & Mukai, Y. (2020). *Machine learning in aquaculture hunger classification*. Singapore: Singer.
- Rejeb, A., Keogh, J. G., Zaliani, S., Treiblmaier, H., & Rejeb, K. (2020). Blockchain technology in the food industry: A review of potentials, challenges and future research directions. *Logistics*, 4(4), 27. <https://doi.org/10.3390/logistics4040027>
- Rowan, N. J. (2019). Pulsed light as an emerging technology to cause disruption for food and adjacent industries – Quo Vadis. *Trends in Food Science & Technology*, 88, 316–332.
- Rowan, N., & Casey, O. (2021). Empower Eco multifactor hub: a triple helix “academia-industry-authority” approach to creating and sharing potentially disruptive tools for addressing novel and emerging new Green deal opportunities under a United Nations Sustainable Development Goal framework. *Current Opinion in Environmental Science and Health*. <https://doi.org/10.1016/j.coesh.2021.100254>.
- Rowan, N. J., & Galanakis, C. M. (2020). Unlocking challenges and opportunities presented by COVID-19 pandemic for cross-cutting disruption in agri-food and green deal innovations – Quo Vadis? *Science of the Total Environment*, 748, Article 141362.
- Rowan, N. J., & Laffey, J. G. (2020). Challenges and solutions for addressing critical shortage of supply chain for personal and protective equipment (PPE) arising from Coronavirus disease (COVID-19) pandemic – Case Study from the Republic of Ireland. *Science of the Total Environment*, 725, Article 138532.
- Rowan, N. J., & Laffey, J. G. (2020b). Unlocking the surge in demand for personal and protective equipment (PPE) and improvised face coverings arising from COVID-19 pandemic – implications for efficacy, re-use and sustainable waste management. <https://doi.org/10.1016/j.scitotenv.2020.142259>.
- Rowan, N. J., & Moral, R. A. (2021). *Disposable face masks and reusable face coverings as non-pharmaceutical interventions (NPIs) to prevent transmission of SARS-CoV-2 variants that cause coronavirus disease (COVID-19): Role of new sustainable NPI design innovations and predictive mathematical modelling*. <https://doi.org/10.1016/j.scitotenv.2021.145530>
- Rowan, N. J., Murray, N., Qiao, Y., O'Neill, E., Clifford, E., & Power, D. (2022). Digital transformation of peatland eco-innovations ('Paludiculture'): Enabling a paradigm shift towards the real-time sustainable production of 'green-friendly' products and services. *Science of the Total Environment*, 838. <https://doi.org/10.1016/j.scitotenv.2022.156328>
- Rowan, N. J., & Pogue, R. (2021). Editorial overview: Green new deal era – current challenges and emerging opportunities for developing sustaining and disruptive innovation. *Current Opinion in Environmental Science and Health*. <https://doi.org/10.1016/j.coesh.2021.100294>
- Rozenzweig, C., et al. (2020). Climate change responses benefit from a global food system approach. *Nature Food*, 1, 94–97.
- Ruiz-Salmon, I., et al. (2021). Achieving sustainability of the seafood sector in the European Atlantic area by addressing eco-social challenges: The NEPTUNUS project. *Sustainability*, 14(5). <https://doi.org/10.3390/su14053054>
- Ruiz-Salmon, I., Laso, J., Margallo, M., Villanueva-Rey, P., Rodriguez, E., Quinteiro, P., Dias, A. C., Almeida, C., Nunes, M. L., Marquez, A., Cortes, A., Moreira, M. T., Feijoo, G., Loubet, P., Sonnemaan, G., Morse, A. P., Cooney, R., Clifford, E., Regueiro, L., ... Aldaco, R. (2021). Life cycle assessment of fish and seafood processed products – a review of methodologies and new challenges. *Science of the Total Environment*. <https://doi.org/10.1016/j.scitotenv.2020.144094>
- Sakamoto, S., Lim, W. A., Lu, D., Dai, X., Orlova, T., & Iwataki, M. (2021). Harmful algal blooms and associated fisheries damage in East Asia: Current status and trends in

- China, Japan, Korea and Russia. *Harmful Algae*, 102. <https://doi.org/10.1016/j.hal.2020.101787>
- Schuelke-Leech, B. A. (2018). A model for understanding the orders of magnitude of disruptive technologies. *Technological Forecasting and Social Change*, 129, 261–274.
- Schuelke-Leech, B. A. (2021). Disruptive technologies for a green new deal. *Current Opinion in Environmental Science and Health*. <https://doi.org/10.1016/j.coesh.2021.100245>
- Sousa, D., Sargento, S., Perira, A., & Luis, M. (2019). Self-adaptive team of aquatic drones with a communication network for aquaculture. In *EPIA conference on artificial intelligence* (pp. 569–580). Springer.
- Sun, M., Yang, X., & Xie, Y. (2020). Deep learning in aquaculture: A review. *Journal of Computers*, 31(1), 294–319.
- Svendsen, E., Fore, M., Okland, F., Grans, A., Hedger, R. D., et al. (2020). Heart rate and swimming activity as stress indicators for Atlantic salmon. *Aquaculture*, 531, Article 735804.
- Tahar, A., Kennedy, A. M., Fitzgerald, R. D., Clifford, E., & Rowan, N. (2018). Longitudinal evaluation of the impact of traditional rainbow trout farming on receiving water quality in Ireland. *PeerJ*. <https://doi.org/10.7717/peerj.5281>
- Tahar, A., Tiedeken, E. J., & Rowan, N. J. (2018b). Occurrence and geodatabase mapping of three contaminants of emerging concern in receiving water and at effluent from waste water treatment plants – a first overview of the situation in the Republic of Ireland. *Science of the Total Environment*, 616–617, 187–197.
- Taylor, C. (2021). Cork-based Hatch to raise €75m to fund more aquaculture start-ups. <https://www.irishtimes.com/business/technology/cork-based-hatch-to-raise-75m-to-fund-more-aquaculture-start-ups-1.4679013>. (Accessed 18 May 2022).
- Terrain, A. I. (2022). Uncovering new insights to support effective climate change decision-making. <https://terrainai.com/>, 8th May, 2022.
- Tsironi, T., Koutinas, A., Mandala, I., & Stoforos, N. G. (2021). Current and new Green Deal solutions for sustainable food processing. *Current Opinion in Environmental Science and Health*. <https://doi.org/10.1016/j.coesh.2021.100244>
- Tsolakis, N., Aivazidou, E., & Srari, J. (2019). Sensor applications in agrifood systems: Current trends and opportunities for water stewardship. *Climate*, 7, 44.
- United Nations. (2022). The secretary-general's remarks on the release of the WMO state of the climate – 18 May 2022. <https://egypt.un.org/en/182457-secretary-general-remarks-release-wmo-state-climate-18-may-2022>, 19th May, 2022.
- Usuldin, S. R. A., Wan-Mohtar, W. A. A. Q. I., Ilham, Z., Jamaludin, A. A., Abdullahn, N. R., & Rowan, N. (2021). In vivo toxicity of bioreactor-grown biomass and exopolysaccharides from Malaysian tiger milk mushroom mycelium for potential future health applications. *Scientific Reports*, 11, Article 23079. <https://doi.org/10.1038/s41598-021-02486-7>, 2021.
- Wan-Mohtar, Q. A. A. Q. I., Ilham, Z., Jamaludin, A. A., & Rowan, N. (2021). Use of Zebrafish embryo assay to evaluate toxicity and safety of bioreactor-grown exopolysaccharides and endopolysaccharides from European ganoderma applanatum Mycelium for future aquaculture applications. *International Journal of Molecular Sciences*, 22(4). <https://doi.org/10.3390/ijms22041675>
- Wang, C., Li, Z., Wang, T., Xu, X., Zhang, X., & Li, D. (2021). Intelligent fish farm—the future of aquaculture. *Aquaculture International*, 29(6), 2681–2711.
- Weiskopt, S. R., Rubenstein, M. A., Crozier, L. G., Gaichas, S., Griffis, R., Halofsky, J. E., Hyde, K. J. W., Morelli, T. L., Morissette, J. T., Monuz, R. C., Pershing, A. J., Peterson, D. L., Poudel, R., Staudinger, M. D., Sutton-Grier, A. E., Thompson, L., Vose, J., Weltzin, J. F., & Whyte, K. P. (2020). Climate change effects on biodiversity, ecosystems, ecosystem services, and natural resource management in the United States. *Science of the Total Environment*. <https://doi.org/10.1016/j.scitotenv.2020.137782>
- Weiss, M., Jacob, F., & Duveiller, G. (2020). Remote sensing for agricultural applications: A meta-review. *Remote Sensing of Environment*, 236. <https://doi.org/10.1016/j.rse.2019.111402>
- Xi, M., Adcock, M., & McCulloch, J. (2019). An end-to-end augmented reality solution to support aquaculture farmers with data collection, storage and analysis. In *The 17th international conference on virtual reality continuum and its application in industry* (pp. 1–2).
- Xia, J., Gomes, G. B., & Yue, G. H. (2022). Editorial – emerging and disruptive technologies in aquaculture. *Aquaculture and Fisheries*, 7, 109–110.
- Xing, Q., et al. (2019). Monitoring seaweed aquaculture in the Yellow Sea with multiple sensors for managing the disease of macroalgae blooms. *Remote Sensing of Environment*, 231. <https://doi.org/10.1016/j.rse.2019.111279>
- Yang, X., Zhang, S., Liu, J., Gao, Q., Dong, S., & Zhou, C. (2021). Deep learning for smart fish farming: Applications, opportunities and challenges. *Reviews in Aquaculture*, 13 (1), 66–90.
- Yoo, S.-H., Ju, Y. T., Kim, J. S., & Kim, E. K. (2020). Design and development of underwater drone for fish farm growth environment management. *The Journal of the Korea Institute of Electronic Communication Sciences*, 15, 959–966.
- Yue, K., & Shen, Y. (2022). An overview of disruptive technologies for aquaculture. *Aquaculture and Fisheries*, 7, 111–120.
- Yu, W., Liang, F., He, X., Hatcher, W. G., Lu, C., Lin, J., & Yang, X. (2017). A survey on the edge computing for the internet of things. *IEEE Access*, 6, 6900–6919.
- Yue, K., & Shen, Y. (2022). An overview of disruptive technologies for aquaculture. *Aquaculture and Fisheries*, 7. <https://doi.org/10.1016/j.aaf.2021.04.009>.
- Zhou, C., et al. (2019). Evaluation of fish feeding intensity in aquaculture using a convolutional neural network and machine vision. *Aquaculture*, 507, 475–465.